
# WAXMAN CONSUMER PRODUCTS GROUP

# GHS SAFETY DATA SHEET

#### **SECTION 1 - IDENTIFICATION** For any Transportation or Medical Chemical Emergencies call: Manufacturer: Waxman Consumer Products Group 24455 Aurora Road **INFOTRAC** Bedford Heights, OH 44146 Telephone: (800) 201-7298 (800) 535-5053 <u>OR</u> (352) 323-3500 Fax: (440) 439-8494 Web Site: www.waxman.com 24 hours per day - 7 days a week E-mail: customerservice@waxmancpg.com Product Name: Urethane Wax Ring with Sleeve / 7140200N **Recommended Use:** Wax gasket for setting closet bowls. SECTION 2 - HAZARD(S) IDENTIFICATION



# SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

This product is not classified as hazardous according to OSHA 1910.1200.

# **SECTION 4 – FIRST-AID MEASURES**

Inhalation: None

**Skin**: Wash affected area thoroughly with waterless cleaner and/or soap and water. If irritation persists, consult physician. **Eyes**: Flush eyes with large amounts of water for at least 15 minutes, holding eyelids open. Consult a physician if irritation persists. **Ingestion**: If swallowed, give two glasses of water to drink. Never give anything by mouth to an unconscious person. Do not induce vomiting. Consult a physician.

# **SECTION 5 – FIRE-FIGHTING MEASURES**

Fire Hazard: None

Combustion Products: None

Extinguishing Media: Dry Chemical, Carbon Dioxide, Foam, and Water Fog

Unsuitable Extinguishing Media: Direct water stream

Protective Equipment: Wear a self-contained breathing apparatus

**Special Fire Fighting Procedures:** Evacuate the area. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking supply. Firefighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus. Use water to cool exposed surfaces to fire and to protect personnel. Molten material can form flaming droplets if ignited. Use of water on the material above  $100^{\circ}$ C ( $212^{\circ}$ F) can cause the material to expand with explosive force.

### GHS SAFETY DATA SHEET

#### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

Personal Precautions: None Protective Equipment: None Emergency Procedures: None Environmental Precautions: None Methods for Cleaning Up: Clean up by scrapping and put in a container for disposal.

#### **SECTION 7 – HANDLING AND STORAGE**

<u>Handling</u>

Keep out of reach of children.

#### **Storage**

Store away from flame, heat  $(110^{\circ}\text{F} \text{ maximum to keep wax rings})$  from melting or deforming in shape) and strong oxidizing agents. Do not stack cases more than seven (7) cartons high on each pallet.

#### **SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Exposure Limits** 

This product is not classified as hazardous according to OSHA 1910.1200.

**Engineering Controls:** A source of running water to flush or wash the eyes and skin in case of contact. Use local exhaust as needed. **Ventilation**: Local ventilation is adequate.

Personal Protective Equipment – Respiratory: None. Skin: Gloves. Eyes: Safety Glasses.

#### **SECTION 9 – PHYSICAL & CHEMICAL PROPERTIES**

Appearance: Odor: pH: Melting Point: Freezing Point: Boiling Point: Flash Point: Specific Gravity: Solubility (H2O): Evaporation Rate: Vapor Density: VOC:

>360°F 0.705 Negligible Mot Established >1 0 g/l Vapor Pressure: Flammability: Flammability Limits:

Not Established Not Established LEL – 0.9% UEL – 7.0%

# SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable

Hazardous polymerization: Will not occur

White to Amber

Not Established

Not Established

Not Established

Petroleum

140-155°F

Conditions to avoid: Excess heat, direct flame

Incompatible materials: Strong oxidizers

Hazardous decomposition products: Upon combustion, Carbon Dioxide, Carbon Monoxide, and other products such as aldehydes and ketones depending on conditions of oxidation.

### SECTION 11 – TOXICOLOGICAL INFORMATION

**Toxicity** 

This product is not classified as hazardous according to OSHA 1910.1200.

Likely Routes of Exposure: Skin Contact and Eye Contact

**Symptoms and Effect - Inhalation:** Exposure to fumes, vapors, fumes, or smoke from molten material handled in confined areas can produce irritation of respiratory tracts, and possible physical discomfort to sensitive individuals. **Skin Contact:** Molten material can caise severe burns. **Eye Contact:** Exposure to fumes, vapors or smoke from thermally degraded product can cause irritation to eyes. **Ingestion:** Handle with care and DO NOT ingest, or put in mouth.

Long-Term Effect: None known.

Pre-Existing Conditions: None known.

### SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: None known Persistance & Degradability: None known Bioaccumulative Potential: None known Mobility in soil: None known

### GHS SAFETY DATA SHEET

#### **SECTION 13 – DISPOSAL CONSIDERATION**

Dispose of product or container in accordance with federal, state or local regulations.

#### SECTION 14 – TRANSPORTATION INFORMATION

D.O.T. (U.S.) : Not Regulated.

## SECTION 15 – REGULATORY INFORMATION

**Precautionary Label Information:** None **Risk Phrases:** None **Safety Phrases: S2-**Keep out of reach of children.

### **SECTION 16 – OTHER INFORMATION**

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act and shall not be used for any other purpose. Waxman Consumer Products Group urges the customers receiving this GHS Safety Data Sheet to study it carefully to become aware of the hazards, if any, of the product involved. In the interest of safety, you should notify your employees, agents and contractors of the information on the sheets. DATE: 01/01/2014